

Appln No. 09/688,452
Amdt date August 11, 2005
Reply to Office action of April 11, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A security system for securing data in a computer network comprising:

a plurality of user terminals coupled to the computer network;

a plurality of cryptographic devices remote from the plurality of user terminals and coupled to the computer network, wherein [[the]] each cryptographic device includes a computer executable code for authenticating one or more users and verifying that the authenticated user is authorized to assume a role, and wherein [[the] each cryptographic device is capable of performing value management functions for one or more users; and

a plurality of security device transaction data for ensuring authenticity of the one or more users, wherein each security device transaction data is related to a user~~[[;]]~~,

wherein [[the]] each cryptographic device is not dedicated to particular user terminals~~[[.]]~~, and

wherein each cryptographic module is programmable to service any of the plurality of user terminals.

2. (Currently Amended) The system of claim 1, wherein the security device transaction data related to a user is loaded

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

into one of the plurality of cryptographic devices when the user requests to operate on a value bearing item.

3. (Original) The system of claim 1, wherein the assumed role includes one or more corresponding operations to be performed by the authenticated user.

4. (Original) The system of claim 1, wherein the assumed role is a security officer role to initiate a key management function.

5. (Original) The system of claim 1, wherein the assumed role is a key custodian role to take possession of shares of keys.

6. (Original) The system of claim 1, wherein the assumed role is an administrator role to manage a user access control database.

7. (Original) The system of claim 1, wherein the assumed role is an auditor role to manage audit logs.

8. (Original) The system of claim 1, wherein the assumed role is a provider role to withdraw from a user account.

9. (Original) The system of claim 1, wherein the assumed role is a user role to operate on a VBI.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

10. (Original) The system of claim 1, wherein the assumed role is a certificate authority role to allow a public key certificate to be loaded and verified.

11. (Currently Amended) The system of claim 1, wherein [[the]] each cryptographic device includes a state machine for determining a state corresponding to availability of one or more commands in conjunction with the role.

12. (Currently Amended) The system of claim 1, wherein [[the]] each cryptographic device is stateless.

13. (Currently Amended) The system of claim 1, wherein [[the]] each cryptographic device includes a computer executable code for preventing unauthorized modification of data.

14. (Currently Amended) The system of claim 1, wherein [[the]] each cryptographic device includes a computer executable code for ensuring the proper operation of cryptographic security and VBI related meter functions.

15. (Original) The system of claim 1, wherein at least one of the user is an enterprise account.

16. (Currently Amended) The system of claim 1, wherein [[the]] each cryptographic device includes a computer executable code for supporting multiple concurrent users and maintaining a separation of roles and operations performed by each user.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

17. (Original) The system of claim 2, wherein the value bearing item is a mail piece.

18. (Previously Presented) The system of claim 17, wherein the mail piece comprises a digital signature.

19. (Currently Amended) The system of claim 1, wherein one of the plurality of cryptographic devices encrypts validation information according to a user request for printing a VBI.

20. (Currently Amended) The system of claim 17, wherein one of the plurality of cryptographic device generates data sufficient to print a postal indicium in compliance with postal service regulation on the mail piece.

21. (Original) The system of claim 2, wherein the value bearing item is a ticket.

22. (Original) The system of claim 2, wherein a bar code is printed on the value bearing item.

23. (Original) The system of claim 1, wherein each security device transaction data includes an ascending register value, a descending register value, a respective cryptographic device ID, an indicium key certificate serial number, a licensing ZIP code, a key token for an indicium signing key,

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

user secrets, a key for encrypting user secrets, data and time of last transaction, last challenge received from a respective client subsystem, an operational state of the respective device, expiration dates for keys, and a passphrase repetition list.

24. (Original) The system of claim 1, wherein each security device transaction data includes a private key, a public key, and a public key certificate, wherein the private key is used to sign device status responses and a VBI which, in conjunction with a public key certificate, demonstrates that the device and the VBI are authentic.

25. (Original) The system of claim 1 further comprising at least one more cryptographic device remote from the plurality of user terminals coupled to the computer network, wherein the at least one more cryptographic device includes a computer executable code for authenticating any of the plurality of users.

26. (Currently Amended) The system of claim 25, wherein one of the plurality of cryptographic devices shares a secret with the at least one more cryptographic device.

27. (Original) The system of claim 25, wherein one of the plurality of cryptographic devices is a master device and generates a master key set (MKS).

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

28. (Original) The system of claim 27, wherein the MKS includes a Master Encryption Key (MEK) used to encrypt keys when stored outside the device and a Master Authentication Key (MAK) used to compute a DES MAC for signing keys when stored outside of the device.

29. (Original) The system of claim 27, wherein the MKS is exported to other cryptographic devices by any cryptographic device.

30. (Currently amended) A method for securing data in a computer network having a plurality of user terminals, the method comprising the steps of:

storing information about a plurality of users using the plurality of terminals in a database remote from the plurality of user terminals;

securing the information about the users in the database by one or more of cryptographic devices from a plurality of cryptographic devices remote from the plurality of user terminals;

performing value management functions in the one or more of the cryptographic devices for one or more of the plurality of users;

storing a plurality of security device transaction data, wherein each transaction data is related to one of the plurality of users; and

verifying that a user is authorized to assume a role;

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

wherein the cryptographic device is not dedicated to specific user terminals[[]], and

wherein each of the plurality of cryptographic devices accesses data elements for any of the plurality of user terminals.

31. (Original) The method of claim 30 further comprising the step of loading a security device transaction data related to a user into one of the one or more of cryptographic devices when the user requests to operate on a value bearing item.

32. (Original) The method of claim 30 further comprising the step of authenticating the identity of each user.

33. (Original) The method of claim 30 further comprising the steps of verifying that the user is authorized to perform a corresponding operation based on the assumed role.

34. (Original) The method of claim 30, wherein the assumed role is a security officer role and the corresponding command is initiating a key management function.

35. (Original) The method of claim 30, wherein the assumed role is a key custodian role to take possession of shares of keys.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

36. (Original) The method of claim 30, wherein the assumed role is an administrator role to manage a user access control.

37. (Original) The method of claim 30, wherein the assumed role is an auditor role to manage audit logs.

38. (Original) The method of claim 30, wherein the assumed role is a provider role to authorize increasing credit for a user account.

39. (Original) The method of claim 30, wherein the assumed role is a user role to perform expected IBIP postal meter operations.

40. (Original) The method of claim 30, wherein the assumed role is a certificate authority role to allow a public key certificate to be loaded and verified.

41. (Original) The method of claim 30, further comprising the step of determining a state corresponding to availability of one or more commands in conjunction with the roles.

42. (Original) The method of claim 41, wherein the state machine includes one or more of an uninitialized state, an initialized state, an operational state, an administrative state, an exporting shares state, an importing shares state, and an error state.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

43. (Original) The method of claim 30, further comprising the step of storing data for creating an indicium, account maintenance, and revenue protection.

44. (Original) The method of claim 30, further comprising the step of printing a mail piece.

45. (Original) The method of claim 44, wherein the mail piece includes a digital signature.

46. (Original) The method of claim 44, wherein the mail piece includes a postage amount.

47. (Original) The method of claim 44, wherein the mail piece includes an ascending register of used postage and descending register of available postage.

48. (Original) The method of claim 30, further comprising the step of printing a ticket.

49. (Original) The method of claim 30, further comprising the step of printing a coupon.

50. (Original) The method of claim 30, wherein the security device transaction data includes an ascending register value, a descending register value, a respective cryptographic device ID, an indicium key certificate serial number, a

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

licensing ZIP code; a key token for an indicium signing key, user secrets, a key for encrypting user secrets, data and time of last transaction, last challenge received from a respective client subsystem, an operational state of the respective device, expiration dates for keys, and a passphrase repetition list.

51. (Original) The method of claim 30, further comprising the step of using a private key to sign device status responses and the VBI which, in conjunction with a public key certificate, demonstrates that the device and the VBI are authentic.

52. (Original) The method of claim 30, further comprising the step of sharing a secret with any of the other devices.

53. (Original) The method of claim 30, further comprising the step of generating a master key set (MKS).

54. (Original) The method of claim 53, wherein the step of generating the MKS comprises the steps of generating a Master Encryption Key (MEK) used to encrypt keys when stored outside the device.

55. (Original) The method of claim 54, further comprising the step of generating a Master Authentication Key (MAK) used to compute a DES MAC for signing keys when stored outside of the device.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

56. (Original) The method of claim 30, further comprising the step of performing one or more of Rivest, Shamir and Adleman (RSA) public key encryption, DES, Triple-DES, DSA signature, SHA-1, and Pseudo-random number generation algorithms by each of the cryptographic devices.

57. (Currently Amended) A cryptographic device for securing data on a computer network comprising:

a processor programmed for authenticating a plurality of users on the computer network for secure processing of a value bearing item;

a memory for storing security device transaction data for ensuring authenticity of a user and that the user is authorized to assume a role, wherein the security device transaction data is related to the one of the plurality of users;

a cryptographic engine for cryptographically protecting data;

means for performing value management functions for a user; and

an interface for communicating with the computer network;

wherein the cryptographic device is not dedicated to particular users on the computer network[[.]],

wherein the cryptographic device processes data for any of the plurality of users.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

58. (Original) The cryptographic device of claim 57, wherein the processor is programmed to verify that the identified user is authorized to perform an operation corresponding to an assumed role.

59. (Original) The cryptographic device of claim 57, wherein the assumed role is a key custodian role to take possession of shares of keys.

60. (Original) The cryptographic device of claim 57, wherein the assumed role is an administrator role to manages a user access control database.

61. (Original) The cryptographic device of claim 57, wherein the assumed role is a provider role to authorize increasing credit for a user account.

62. (Original) The cryptographic device of claim 57, wherein the assumed role is a user role to perform expected IBIP postal meter operations.

63. (Original) The cryptographic device of claim 57 further comprising a stored secret for cryptographically protecting data.

64. (Original) The cryptographic device of claim 63, wherein the secret is a password.

Appln No. 09/688,452

Amdt date August 11, 2005

Reply to Office action of April 11, 2005

65. (Original) The cryptographic device of claim 63, wherein the secret is a public/private key pair.

66. (Original) The cryptographic device of claim 57, wherein the value bearing item is a postage value including a postal indicium.

67. (Original) The cryptographic device of claim 57, wherein the value bearing item is a ticket.

68. (Original) The cryptographic device of claim 57, wherein the value bearing item includes a bar code.